

FOR NTP - 1878 Damery 8/25/22



DEPARTMENT OF FOREIGN AFFAIRS
KAGAWARAN NG UGNAYANG PANLABAS

PURCHASE ORDER
DEPARTMENT OF FOREIGN AFFAIRS
MANILA

Supplier: **CKCO ENTERPRISES** P.O. No. **08-010-22**
Address: **17 Lilac St. West Fairview, Quezon City** Date **08-Aug-22**
Contact nos: T: 8579-5618 | F: 8735-4976 | E: ches888@yahoo.com Mode of Procurement Shopping


Gentlemen:
Please furnish this office the following articles subject to the terms and conditions contained herein:



Place of Delivery: Department of Foreign Affairs, 2330 Roxas Boulevard, Pasay City Delivery Term: 30 days
Date of Delivery: n/a Payment Term: Government Terms

Item No.	Unit	Quantity	Description	Unit Cost	Amount
OAMSS					
1	Piece	80	Dry Seal - Philippine Consulate General	P 1,500.00	P 120,000.00
2	Piece	180	Wet Seal - Philippine Consulate General	P 1,350.00	P 243,000.00
3	Piece	40	Dry Seal - Philippine Embassy	P 1,500.00	P 60,000.00
4	Piece	90	Wet Seal - Philippine Embassy	P 1,350.00	P 121,500.00
XXXXXXXXXXXXXXXXXXXX					
NOTE ON THE DESIGN AND SPECIFICATIONS OF DRY SEAL OF PHILIPPINE CONSULATE GENERAL					
1. The design of dry seal for the Philippine Consulate General follows the design of the coat of arms as shown in the attachment.					
2. The material of dry seal shall be cast iron with matte black finish.					
3. The personalization area shall bear the seal/logo monogram which shall be placed in 2-inch diameter base.					
4. The size of the dry seal shall be measured at 2 inches.					
NOTE ON THE DESIGN AND SPECIFICATIONS OF WET SEAL OF PHILIPPINE CONSULATE GENERAL					
1. The design of wet seal for the Philippine Consulate General follows the design of the coat of arms as shown in the attachment.					
2. The material of mounting to be used shall be either wood or plastic.					
3. The material of stamp to be used shall be rubber.					
4. The size of the personalization area which shall bear the seal/logo monogram shall be at 1.5-inch diameter.					
NOTE ON THE DESIGN AND SPECIFICATIONS OF DRY SEAL FOR PHILIPPINE EMBASSY					
1. The design of dry seal for the Philippine Embassy follows the design of the coat of arms as shown in the attachment.					
2. The material of dry seal shall be cast iron with matte black finish.					
3. The personalization area shall bear the seal/logo monogram which shall be placed in 2-inch diameter base.					
4. The size of dry seal shall be measured at 2 inches.					
NOTE ON THE DESIGN AND SPECIFICATIONS OF WET SEAL FOR PHILIPPINE EMBASSY					
1. The design of wet seal for the Philippine Embassy follows the design of the coat of arms as shown in the attachment.					
2. The material of mounting to be used shall be either wood or plastic.					
3. The material of stamp to be used shall be rubber.					
4. The size of the personalization area which shall bear the seal/logo monogram shall be at 1.5-inch diameter.					

(total Amount in Words) Five Hundred Forty-Four Thousand Five Hundred Pesos P 544,500.00

In case of failure to make the full delivery within the time specified above, a penalty of one-tenth (1/10) of one percent for every day of delay shall be imposed.

Conforme:  (Signature over printed name)
(Date)


 Very truly yours,

MEDARDO G. MACARAIG
 Assistant Secretary, OAMSS

Requisitioning Office/Dept: **OAMSS** Amount: **₱ 544,500.00**
VIOLAPLOR ENERLAN-ANCHETA Chief Accountant: **LYRIE F. FULGENCIO** ALOBS No.: **2022-01-005984**
 Acting Director, PSSD